Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page : 2 of 31

Page : 2 of 31

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently amended) A compound of the following formula:

or a pharmaceutically acceptable salt or N-oxide thereof; wherein


A is aryl or heteroaryl;

B is N or CR^2 ;

each of R² and R³ is independently hydrogen, alkyl, cycloalkyl, cycloalkenyl, aryl, aralkyl, heterocycloalkyl, heterocycloalkenyl, heteroaryl, or heteroaralkyl;

each of X^1 and X^2 is independently $C_{1\text{-}6}$ alkylene, $C_{2\text{-}6}$ alkenylene, $C_{2\text{-}6}$ alkynylene, or a bond;

L is a bond or a linker selected from the group consisting of:



Applicant : Vu, et al.
Serial No. : 10/552,303
Filed : July 26, 2006

Page : 3 of 31

$$(R)_{m} \longrightarrow (R)_{m} \longrightarrow (R)_$$

wherein:

each of R' and R", independently, is hydrogen, alkyl, alkenyl, alkynyl, alkoxy, acyl, halo, hydroxy, amino, nitro, oxo, thioxo, cyano, guanadino, amidino, carboxy, sulfo, sulfoxy,


Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006

Page : 4 of 31

mercapto, alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, aminocarbonyl, alkylcarbonylamino, alkylsulfonylamino, alkoxycarbonyl, alkylcarbonyloxy, urea, thiourea, sulfamoyl, sulfamide, carbamoyl, cycloalkyl, cycloalkyloxy, cycloalkylsulfanyl, heterocycloalkyl, heterocycloalkyloxy, heterocycloalkylsulfanyl, aryl, aryloxy, arylsulfanyl, aroyl, heteroaryl, heteroaryloxy, heteroarylsulfanyl, or heteroaroyl; provided that two adjacent R' groups can join together to form a 4- to 8-membered optionally substituted cyclic moiety;

R¹ is alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl;

provided that (1) when X¹ is a bond and L is a 4- to 6-membered saturated heterocyclic group



selected from the group consisting of

is alkylene and R¹ is heteroaryl, and (2) when L is a bond, X¹ is an alkynylene.

- 2. (Cancelled)
- 3. (Currently amended) The compound of claim 2 claim 1, wherein p is 1-2.
- 4. (Original) The compound of claim 3, wherein m is 1 and R' is C_{1-4} alkyl, or m is 0.

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006

Page : 5 of 31

5. (Original) The compound of claim 3, wherein X^1 is a bond.

- 6. (Original) The compound of claim 5, wherein X^2 is an alkylene.
- 7. (Original) The compound of claim 6, wherein R¹ is aryl or heteroaryl selected from the group consisting of furyl, thienyl, pyrrolyl, oxazolyl, thiazolyl, imidazolyl, pyrazolyl, isoxazolyl, isothiazolyl, oxadiazolyl, triazolyl, thiadiazolyl, pyridyl, pyridazinyl, pyrimidinyl, pyrazinyl, triazinyl, quinolinyl, isoquinolinyl, indolyl, isoindolyl, benzofuryl, benzothiophenyl, benzimidazolyl, benzthiazolyl, furopyridyl, and thienopyridyl.
- 8. (Original) The compound of claim 7, wherein R^1 is unsubstituted or substituted with C_{1-4} alkyl, halo, hydroxy, C_{1-4} alkoxy, or C_{1-4} alkylthio.
- 9. (Original) The compound of claim 8, wherein R¹ is unsubstituted or substituted with methyl, ethyl, propyl, fluoro, chloro, bromo, hydroxy, methoxy, ethoxy, propoxy, trifluoromethyl, hydroxymethyl, hydroxyethyl, hydroxypropyl, methylthio, ethylthio, or propylthio.
- 10. (Currently amended) The compound of claim 1 A compound of the following formula:

or a pharmaceutically acceptable salt or N-oxide thereof; wherein

A is aryl or heteroaryl;

B is N or CR²;

each of R² and R³ is independently hydrogen, alkyl, cycloalkyl, cycloalkenyl, aryl, aralkyl, heterocycloalkyl, heterocycloalkenyl, heteroaryl, or heteroaralkyl;

Applicant: Vu, et al. Serial No.: 10/552,303 Filed: July 26, 2006

Page : 6 of 31

each of X^1 and X^2 is independently C_{1-6} alkylene, C_{2-6} alkenylene, C_{2-6} alkynylene, or a bond;

wherein L is

$$(R')_m$$
 $(P')_m$ $(R')_m$ $($

wherein:

each R', independently, is hydrogen, alkyl, alkenyl, alkynyl, alkoxy, acyl, halo, hydroxy, amino, nitro, oxo, thioxo, cyano, guanadino, amidino, carboxy, sulfo, sulfoxy, mercapto, alkylsulfanyl, alkylsulfonyl, aminocarbonyl, alkylcarbonylamino, alkylsulfonylamino, alkoxycarbonyl, alkylcarbonyloxy, urea, thiourea, sulfamoyl, sulfamide, carbamoyl, cycloalkyl, cycloalkyloxy, cycloalkylsulfanyl, heterocycloalkyl, heterocycloalkylsulfanyl, aryl, aryloxy, arylsulfanyl, aroyl, heteroaryl, heteroaryloxy, heteroarylsulfanyl, or heteroaroyl; provided that two adjacent R' groups can join together to form a 4- to 8-membered optionally substituted cyclic moiety;

$$X^{a}$$
 is $-C(R^{2})(R^{3})$ -, $-S$ -, $-SO$ -, or $-SO_{2}$ -;
 X^{b} is $-C(R^{2})(R^{3})$ -, $-NR^{2}$ -, $-O$ -, $-S$ -, $-SO$ -, or $-SO_{2}$ -;
each of p, q, and m, independently, is 0-3;
n1 is 0-2; and

Y is $-C(R^2)(R^3)$ -, -O-, -S-, -SO-, -SO₂-, -CO-, -CO₂-, or a bond; and R¹ is alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl.

- 11. (Original) The compound of claim 10, wherein X^b is $-C(R^2)(R^3)$ -, p is 0-1, and q is 1.
- 12. (Original) The compound of claim 11, wherein X^b is -CH₂-.

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006

Page : 7 of 31

13. (Original) The compound of claim 10, wherein X^b is $-NR^2$ -, -O-, -S-, -SO-, or $-SO_2$ -; p is 0-1; and q is 1.

- 14. (Original) The compound of claim 11, wherein X^1 is a bond.
- 15. (Original) The compound of claim 14, wherein X^2 is an alkylene optionally substituted with C_{1-4} alkyl, halo, hydroxy, C_{1-4} alkoxy, or C_{1-4} alkylthio.
- 16. (Original) The compound of claim 15, wherein R^2 is hydrogen or C_{1-4} alkyl.
- 17. (Original) The compound of claim 16, wherein R¹ is alkyl, aryl, or heteroaryl.
- 18. (Original) The compound of claim 17, wherein R^1 is phenyl, furyl, thienyl, pyrrolyl, oxazolyl, thiazolyl, imidazolyl, pyrazolyl, isoxazolyl, isothiazolyl, oxadiazolyl, triazolyl, thiadiazolyl, pyridyl, pyridazinyl, pyrimidinyl, pyrazinyl, triazinyl, quinolinyl, isoquinolinyl, indolyl, isoindolyl, benzofuryl, benzothiophenyl, benzimidazolyl, benzthiazolyl, furopyridyl, or thienopyridyl; each of which being optionally substituted with C_{1-4} alkyl, halo, hydroxy, C_{1-4} alkoxy, or C_{1-4} alkylthio.
- 19. The compound of claim 1, A compound of the following formula:

or a pharmaceutically acceptable salt or N-oxide thereof; wherein

A is aryl or heteroaryl;


Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006

Page : 8 of 31

B is N or CR^2 ;

each of R² and R³ is independently hydrogen, alkyl, cycloalkyl, cycloalkenyl, aryl, aralkyl, heterocycloalkyl, heterocycloalkenyl, heteroaryl, or heteroaralkyl;

each of X^1 and X^2 is independently C_{1-6} alkylene, C_{2-6} alkenylene, C_{2-6} alkynylene, or a bond;



wherein L is

wherein:

each of R' and R", independently, is hydrogen, alkyl, alkenyl, alkynyl, alkoxy, acyl, halo, hydroxy, amino, nitro, oxo, thioxo, cyano, guanadino, amidino, carboxy, sulfo, sulfoxy, mercapto, alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, aminocarbonyl, alkylcarbonylamino, alkoxycarbonyl, alkylcarbonyloxy, urea, thiourea, sulfamoyl, sulfamide, carbamoyl, cycloalkyl, cycloalkyloxy, cycloalkylsulfanyl, heterocycloalkyl, heterocycloalkylsulfanyl, aryl, aryloxy, arylsulfanyl, aroyl, heteroaryl, heteroaryloxy, heteroarylsulfanyl, or heteroaroyl; provided that two adjacent R' groups can join together to form a 4- to 8-membered optionally substituted cyclic moiety;

 X^{a} is $-C(R^{2})(R^{3})$ -, -S-, -SO-, or $-SO_{2}$ -; X^{b} is $-C(R^{2})(R^{3})$ -, $-NR^{2}$ -, -O-, -S-, -SO-, or $-SO_{2}$ -; each of p, q, and m, independently, is 0-3; and n2 is 2-3 Y is $-C(R^{2})(R^{3})$ -, -O-, -S-, -SO-, $-SO_{2}$ -, -CO-, $-CO_{2}$ -, or a bond; and Applicant: Vu, et al. Attorney's Docket No.: 10274-153US1 / A138US 002

Serial No.: 10/552,303 Filed: July 26, 2006

Page : 9 of 31

R¹ is alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl;

provided that when X^1 is a bond then X^2 is alkylene and R^1 is heteroaryl.

- 20. (Original) The compound of claim 19, wherein p is 0 or 1, q is 1, R' is hydrogen or C_{1-4} alkyl, and m is 1-2.
- 21. (Original) The compound of claim 20, wherein X^1 is a bond.
- 22. (Original) The compound of claim 21, wherein X^2 is a bond or an alkylene optionally substituted with C_{1-4} alkyl, halo, hydroxy, C_{1-4} alkoxy, or C_{1-4} alkylthio.
- 23. (Original) The compound of claim 22, wherein R¹ is alkyl, aryl, or heteroaryl.
- 24. (Original) The compound of claim 23, wherein R^1 is phenyl, furyl, thienyl, pyrrolyl, oxazolyl, thiazolyl, imidazolyl, pyrazolyl, isoxazolyl, isothiazolyl, oxadiazolyl, triazolyl, thiadiazolyl, pyridyl, pyridazinyl, pyrimidinyl, pyrazinyl, triazinyl, quinolinyl, isoquinolinyl, indolyl, isoindolyl, benzofuryl, benzothiophenyl, benzimidazolyl, benzthiazolyl, furopyridyl, or thienopyridyl; each of which being optionally substituted with C_{1-4} alkyl, halo, hydroxy, C_{1-4} alkoxy, or C_{1-4} alkylthio.
- 25-30. (Cancelled)
- 31. (Currently amended) The compound of claim 1, wherein R¹ is alkyl, aryl, or heteroaryl.
- 32. (Cancelled)

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 10 of 31

33. (Currently amended) The compound of claim 1, said compound being A compound selected from the group consiting of:

- 2-Furan-2-yl-5-(4-pyridin-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(5-methyl-isoxazol-3-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(3,5-Dimethyl-isoxazol-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(3,5-Dichloro-pyridin-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- [4-(7-Amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-piperazin-1-yl]-(3,5-dichloro-pyridin-4-yl)-methanone,
- N⁵-[1-(2,6-Dichloro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazine-5,7-diamine,
- N⁵-[1-(3,5-Dimethyl-isoxazol-4-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-
- [1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 5-[4-(2-Chloro-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-pyridin-2-ylmethyl-[1,4]diazepan-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(3,5-Dimethyl-isoxazol-4-ylmethyl)-piperazin-1-yl]-2-(3-fluoro-phenyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-(3-Fluoro-phenyl)-5-[4-(5-methyl-isoxazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-[4-(3,5-Dimethyl-isoxazol-4-ylmethyl)-piperazin-1-yl]-7-furan-2-yl-pyrazolo[1,5-
- a][1,3,5]triazin-4-ylamine,
- 2-[4-(2-Chloro-6-methyl-quinolin-3-ylmethyl)-piperazin-1-yl]-7-furan-2-yl-pyrazolo[1,5-
- a][1,3,5]triazin-4-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 11 of 31

- 7-Furan-2-yl-2-[4-(5-methyl-isoxazol-3-ylmethyl)-[1,4]diazepan-1-yl]-pyrazolo[1,5-a][1,3,5]triazin-4-ylamine,
- 7-Furan-2-yl-N²-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-pyrazolo[1,5-a][1,3,5]triazine-2,4-diamine,
- 2-Furan-2-yl-N 5 -methyl-N 5 -{2-[methyl-(5-methyl-isoxazol-3-ylmethyl)-amino]-ethyl}-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl- N^5 -{2-[methyl-(5-methyl-isoxazol-3-ylmethyl)-amino]-ethyl}-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-N⁵-[1-(5-methyl-isoxazol-3-ylmethyl)-piperidin-3-ylmethyl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl- N^5 -methyl- N^5 -[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- $N^5-(1-Benzyl-piperidin-4-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine, \\$
- $N^5-(1-Benzyl-pyrrolidin-3-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,\\$
- 2-Furan-2-yl-N⁵-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-3-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-5-(4-pyridin-3-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-pyridin-4-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- $2-Furan-2-yl-N^5-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine, \\$
- 2-Furan-2-yl-N⁵-{2-[(5-methyl-isoxazol-3-ylmethyl)-amino]-ethyl}-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-5-[4-(1H-imidazol-2-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(1-methyl-1H-imidazol-2-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 12 of 31

- 5-[4-(5-Chloro-thiophen-2-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(1H-imidazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(1H-pyrrol-2-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl- N^5 -[1-(5-methyl-isoxazol-3-ylmethyl)-piperidin-4-ylmethyl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-N⁵-[1-(5-methyl-isoxazol-3-ylmethyl)-piperidin-3-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-N 5 -methyl-N 5 -{2-[methyl-(5-methyl-isoxazol-3-ylmethyl)-amino]-cyclohexyl}-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-N⁵-{3-[(5-methyl-isoxazol-3-ylmethyl)-amino]-propyl}-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- N^5 -{2,2-Dimethyl-3-[(5-methyl-isoxazol-3-ylmethyl)-amino]-propyl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-N⁵-[1-(5-methyl-isoxazol-3-ylmethyl)-piperidin-4-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl- N^5 -[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-5-(4-quinolin-4-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(5-methyl-3H-imidazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-furan-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-quinolin-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 13 of 31

- 2-Furan-2-yl-N⁵-methyl-N5-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-5-[4-(3-phenyl-propyl)-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(2,6-Dichloro-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(5-methyl-isoxazol-3-ylmethyl)-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-pyridin-3-ylmethyl-[1,4]diazepan-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-pyridin-4-ylmethyl-[1,4]diazepan-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-quinolin-4-ylmethyl-[1,4]diazepan-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-quinolin-2-ylmethyl-[1,4]diazepan-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-furan-2-ylmethyl-[1,4]diazepan-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-[(7-Amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-ylamino)-methyl]-pyrrolidine-1-carboxylic acid tert-butyl ester,
- 2-(3-Fluoro-phenyl)-5-[4-(5-methyl-isoxazol-3-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(5-methyl-isoxazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(5-methyl-isoxazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-(3-Fluoro-phenyl)-5-[4-(5-methyl-isoxazol-4-ylmethyl)-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 14 of 31

- 2-(3-Fluoro-phenyl)-5-[4-(5-methyl-isoxazol-3-ylmethyl)-[1,4]diazepan-1-yl]-
- [1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-(3-Fluoro-phenyl)-N⁵-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-
- [1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 5-[4-(5-Chloro-furan-2-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(6-Bromo-pyridin-2-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(2-Chloro-8-methyl-quinolin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(2-Chloro-6-methyl-quinolin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-quinolin-3-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(5-methyl-furan-2-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-2-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-2-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-2-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-2-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-2-ylmethyl]-[1,2,4] triazolo [1,5-methyl-furan-2-ylmethyl-furan-2-ylmethyl]-[1,5-methyl-furan-2-ylmethyl-furan-
- a][1,3,5]triazin-7-ylamine,
- {5-[4-(7-Amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-piperazin-1-ylmethyl]-furan-2-yl}-methanol,
- 5-[4-(3,5-Dimethyl-isoxazol-4-ylmethyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-quinolin-3-ylmethyl-[1,4]diazepan-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(2-methyl-furan-3-ylmethyl)-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-methyl-furan-3-ylmethyl]-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-methyl-furan-3-ylmethyl]-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-methyl-furan-3-ylmethyl]-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-methyl-furan-3-ylmethyl]-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-methyl-furan-3-ylmethyl]-[1,4]diazepan-1-yl]-[1,4]diazepan
- a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(2-methyl-furan-3-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-3-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-3-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-3-ylmethyl)-piperazin-1-yl]-[1,2,4] triazolo [1,5-methyl-furan-3-ylmethyl]-[1,2,4] triazolo [1,5-methyl-furan-3-ylmethyl]-[1,5-methyl-furan-3-ylmethyl]-[1,5-methyl-furan-3-ylmethyl-furan
- a][1,3,5]triazin-7-ylamine,
- N⁵-[1-(3-Chloro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazine-5,7-diamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 15 of 31

2-Furan-2-yl-5-[4-(3-methyl-thiophen-2-ylmethyl)-[1,4] diazepan-1-yl]-[1,2,4] triazolo[1,5-1,4] diazepan-1-yl]-[1,2,4] diazepan-1-

a][1,3,5]triazin-7-ylamine,

2-Furan-2-yl-5-[4-(1-methyl-1H-imidazol-2-ylmethyl)-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

N⁵-[1-(4-Chloro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

5-[4-(6-Bromo-pyridin-2-ylmethyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

2-Furan-2-yl-N⁵-(1-pyridin-3-ylmethyl-pyrrolidin-2-ylmethyl)-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

5-[4-(5-Chloro-furan-2-ylmethyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

2-Furan-2-yl-N⁵-(1-pyridin-4-ylmethyl-pyrrolidin-2-ylmethyl)-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

5-[4-(3-Chloro-2,6-difluoro-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

5-[4-(6-Chloro-2-fluoro-3-methyl-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,4]d

a][1,3,5]triazin-7-ylamine,

5-[4-(2-Chloro-6-fluoro-3-methyl-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,2,4]triazolo[1,5-1,4]diazepan-1-yl-[1,4]d

a][1,3,5]triazin-7-ylamine,

[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

N⁵-[1-(2-Bromo-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 16 of 31

- $N^5\hbox{-}[1\hbox{-}(2\hbox{-}Chloro\hbox{-}benzyl)\hbox{-}pyrrolidin-2\hbox{-}ylmethyl]-2\hbox{-}furan-2\hbox{-}yl\hbox{-}[1,2,4]triazolo[1,5\hbox{-}hyl]-2\hbox{-}furan-2\hbox{-}yl\hbox{-}[1,2,4]triazolo[1,5\hbox{-}hyl]-2\hbox{-}hyl]-2\hbox{-}hyllower (1,2,4)[1,2,4]triazolo[1,5]-2\hbox{-}hyllower (1,2,4)[1,2]-2\hbox{-}hyllower (1,$
- a][1,3,5]triazine-5,7-diamine,
- $2-Furan-2-yl-N^5-(1-pyridin-2-ylmethyl-pyrrolidin-2-ylmethyl)-[1,2,4]triazolo[1,5-1,2]$
- a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-N⁵-(1-quinolin-2-ylmethyl-pyrrolidin-2-ylmethyl)-[1,2,4]triazolo[1,5-
- a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-N⁵-(1-furan-2-ylmethyl-pyrrolidin-2-ylmethyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 5-[4-(2-Chloro-quinolin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(5-Bromo-furan-2-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-thiophen-3-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(2-methyl-benzyl)-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(3-methyl-benzyl)-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(4-methyl-benzyl)-[1,4]diazepan-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(3-Chloro-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(4-Chloro-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(2-Bromo-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(3-Bromo-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 17 of 31

5-[4-(4-Bromo-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

5-[4-(2-Fluoro-benzyl)-[1,4]diazepan-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

 $N^5\hbox{-}[1\hbox{-}(6\hbox{-}Chloro\hbox{-}2\hbox{-}fluoro\hbox{-}3\hbox{-}methyl\hbox{-}benzyl)\hbox{-}pyrrolidin\hbox{-}2\hbox{-}ylmethyl]\hbox{-}2\hbox{-}furan\hbox{-}2\hbox{-}ylmethyl]$

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 N^5 -[1-(3-Chloro-2,6-difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 N^5 -[1-(2-Chloro-3,6-difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

2-Furan-2-yl-5-[4-(2-methylsulfanyl-thiophen-3-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

5-[4-(5-Chloro-2-phenyl-1H-imidazol-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

5-[4-(5-Chloro-1-methyl-3-trifluoromethyl-1H-pyrazol-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

5-[4-(4-Chloro-1-methyl-1H-pyrazol-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-piperazin-1-yl-pip

[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

5-[4-(4-Bromo-1-methyl-1H-pyrazol-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

5-[4-(4-Bromo-1H-pyrazol-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]-2-furan

a][1,3,5]triazin-7-ylamine,

2-Furan-2-yl-5-[4-(2-methyl-1H-imidazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl-1H-imidazol-4-ylmethyl]-[1,2,4]triazolo[1,5-methyl-1H-imidazol-4-ylmethyl-4-ylmethyl-4-y

a][1,3,5]triazin-7-ylamine,

5-[4-(2-Ethyl-5-methyl-3H-imidazol-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

2-Furan-2-yl-5-[4-(2-phenyl-1H-imidazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 18 of 31

2-Furan-2-yl-5-(4-[1,2,3]thiadiazol-4-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

2-Furan-2-yl-N⁵-[1-(2-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

2-Furan-2-yl-N⁵-[1-(3-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2-Chloro-6-fluoro-3-methyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2,6-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

[2-(7-Amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-ylamino)-ethyl]-methyl-carbamic acid tert-butyl ester,

N⁵-[1-(2,5-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(3,4-Dichloro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 $N^5-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(3-Fl$

a][1,3,5]triazine-5,7-diamine,

 N^5 -[1-(2,3-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2,4-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 $\hbox{2-Furan-2-yl- N^5-[1-(4-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4] triazolo[1,5-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4] triazolo[1,5-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4] triazolo[1,5-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4] triazolo[1,5-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4] triazolo[1,5-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4] triazolo[1,5-methyl-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4] triazolo[1,5-methyl-benzyl]-[1,2,4] triazolo[1,5-methyl-benzyl]-[1,2,4] triazolo[1,5-methyl-benzyl]-[1,2,4] triazolo[1,5-methyl-benzyl]-[1,2,4] triazolo[1,5-methyl-benzyl]-[1,2,4] triazolo[1,5-methyl-benzyl]-[1,2,4] triazolo[1,5-methyl-benzyl]-[1,5-methyl-$

a][1,3,5]triazine-5,7-diamine,

 N^5 -[1-(3,5-Dichloro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(3,5-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 19 of 31

2-{[(7-Amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-methyl-amino]-methyl}-pyrrolidine-1-carboxylic acid tert-butyl ester,

 $N^5\hbox{-}[1\hbox{-}(2,4\hbox{-Dichloro-benzyl})\hbox{-pyrrolidin-}2\hbox{-ylmethyl}]\hbox{-}2\hbox{-furan-}2\hbox{-yl-}[1,2,4]\hbox{triazolo}[1,5\hbox{-}2]$

a][1,3,5]triazine-5,7-diamine,

 $N^5-[1-(2,6-Dimethyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-[1,2,4]triazolo[1,5-1,2]-[1,2,4]triazolo[1,5-1,2]-[1,2,4]-$

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2-Chloro-quinolin-3-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(5-Chloro-furan-2-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 $2-Furan-2-yl-N^5-[1-(2,3,6-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,5-trif$

a][1,3,5]triazine-5,7-diamine,

2-Furan-2-yl-N⁵-[1-(2,4,6-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

2-Furan-2-yl-N⁵-[1-(2,4,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

2-[(7-Amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-ylamino)-methyl]-piperidine-1-carboxylic acid tert-butyl ester,

 $N^5-[1-(3-Chloro-2-fluoro-5-trifluoromethyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-benzyl-ben$

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 N^5 -[1-(4-Chloro-benzyl)-piperidin-3-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 N^5 -[1-(2,6-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N5-methyl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 $N^5\hbox{-}[1\hbox{-}(2\hbox{-}Chloro\hbox{-}3,6\hbox{-}difluoro\hbox{-}benzyl)\hbox{-}pyrrolidin\hbox{-}2\hbox{-}ylmethyl]\hbox{-}2\hbox{-}furan\hbox{-}2\hbox{-}yl\hbox{-}N5\hbox{-}methyl]}$

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(3-Chloro-2-fluoro-6-trifluoromethyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 20 of 31

2-Furan-2-yl-N⁵-(1-quinolin-3-ylmethyl-pyrrolidin-2-ylmethyl)-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 $2-Furan-2-yl-N^5-[1-(5-methyl-isoxazol-3-ylmethyl)-piperidin-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl)-piperidin-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl-3-ylmethy$

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(3-Chloro-5-trifluoromethyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(4-Fluoro-3-methyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2-Bromo-5-fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(4-Chloro-3-fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 $N^5-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]triazolo[1,5-1,2]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]triazolo[1,5-1,2]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]triazolo[1,5-1,2]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]triazolo[1,5-1,2]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]triazolo[1,5-1,2]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]triazolo[1,5-1,2]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N^5-methyl-[1,2,4]-[1-(2-Fluoro-benzyl)-pyrrolidin-2-ylmethyl-[1,2,4]-[1-(2-Fluoro-benzyl)-pyrrolidin$

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(3-Chloro-2-fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2-Fluoro-5-trifluoromethyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2-Fluoro-4-trifluoromethyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 $2-Furan-2-yl-N^5-(1-quino lin-4-ylmethyl-pyrrolidin-2-ylmethyl)-[1,2,4]triazolo[1,5-1,2]$

a][1,3,5]triazine-5,7-diamine,

2-(3-Fluoro-phenyl)-5-(4-quinolin-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-4]-[1,2,4]-

a][1,3,5]triazin-7-ylamine,

2-(3-Fluoro-phenyl)-5-(4-quinolin-3-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

 $2\hbox{-}(3\hbox{-}Fluoro\hbox{-}phenyl)\hbox{-}5\hbox{-}(4\hbox{-}quinolin\hbox{-}4\hbox{-}ylmethyl\hbox{-}piperazin\hbox{-}1\hbox{-}yl)\hbox{-}[1,2,4]triazolo[1,5\hbox{-}1]$

a][1,3,5]triazin-7-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 21 of 31

- 2-(3-Fluoro-phenyl)-5-(4-pyridin-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-(3-Fluoro-phenyl)-5-(4-pyridin-3-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-(3-Fluoro-phenyl)-5-(4-pyridin-4-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- N^5 -[1-(3,5-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N5-methyl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- N^5 -[1-(3-Chloro-2,6-difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-N5-methyl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- N^5 -[1-(3-Fluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl- N^5 -methyl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- $\hbox{2-Furan-2-yl-N$^5-methyl-N5-[1-(2,3,6-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-pyrrolidin-2-ylmethyl]-pyrrolidin-2-ylmethyl-pyrr$
- [1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- $N^5\hbox{-}[1\hbox{-}(2,3\hbox{-}Difluoro\hbox{-}benzyl)\hbox{-}piperidin-3\hbox{-}ylmethyl]\hbox{-}2\hbox{-}furan-2\hbox{-}yl\hbox{-}[1,2,4]triazolo[1,5\hbox{-}benzyl]$
- a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-N⁵-(1-quinolin-2-ylmethyl-piperidin-3-ylmethyl)-[1,2,4]triazolo[1,5-
- a][1,3,5]triazine-5,7-diamine,
- 5-(4-Benzofuran-2-ylmethyl-piperazin-1-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-thiazol-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(1H-indol-5-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(1-methyl-1H-indol-2-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(6-methyl-pyridin-2-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 22 of 31

- 5-[4-(2-Chloro-6-methoxy-quinolin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(5-methyl-1H-indol-2-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(5-Chloro-1H-indol-2-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-2-furan-2-yl-[1,2,4]triazolo[1,5-1]-2-furan-2-yl-[1,2,4]-2-fura
- a][1,3,5]triazin-7-ylamine,
- $N^5 (1-Benzo furan-2-ylmethyl-pyrrolidin-2-ylmethyl) 2-furan-2-yl-[1,2,4]triazolo[1,5-ylmethyl-pyrrolidin-2-ylmethyl) 2-furan-2-yl-[1,2,4]triazolo[1,5-ylmethyl-pyrrolidin-2-ylmethyl-pyrrolidin-2-ylmethyl) 2-furan-2-yl-[1,2,4]triazolo[1,5-ylmethyl-pyrrolidin-2-ylmethyl-pyrroli$
- a][1,3,5]triazine-5,7-diamine,
- N^5 -[1-(4-Chloro-1-methyl-1H-pyrazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- N^5 -[1-(4-Bromo-1-methyl-1H-pyrazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-[(7-Amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-ylamino)-methyl]-piperidine-1-carboxylic acid tert-butyl ester,
- N^5 -[1-(3,5-Dichloro-pyridin-4-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 2-Furan-2-yl-5-[4-(2-methyl-pyridin-3-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-N⁵-[1-(3-methyl-pyridin-2-ylmethyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 5-[4-(2,6-Dichloro-5-fluoro-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- N^5 -[1-(3,6-Dichloro-5-fluoro-pyridin-2-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,
- 5-[4-(2,4-Dimethyl-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- N^5 -[1-(2,4-Dimethyl-pyridin-3-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 23 of 31

 $N^5-[1-(2,6-Dichloro-benzyl)-piperidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-[1,2,4]triazolo[1,5-1,2]-[1,2,4]triazolo[1,5-1,2]-[1,2,4]-[$

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2-Chloro-6-fluoro-benzyl)-piperidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 N^5 -[1-(2-Fluoro-benzyl)-piperidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 N^5 -[1-(2-Chloro-benzyl)-piperidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 $N^5-[1-(6-Chloro-pyridin-3-ylmethyl)-piperidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-white]-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-white]-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-white]-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-white]-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-white]-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-white]-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-white]-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-white]-2-yl-[1,2,4]triazolo[1,5-white]-2-yl-[1,2,4]-2-$

a][1,3,5]triazine-5,7-diamine,

5-[4-(2-Chloro-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

5-[4-(2,6-Dichloro-pyridin-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

2-Furan-2-yl-5-[4-(4-methyl-pyridin-2-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-

a][1,3,5]triazin-7-ylamine,

 $N^5\hbox{-}[1\hbox{-}(3\hbox{-}Chloro\hbox{-}2\hbox{-}fluoro\hbox{-}4\hbox{-}methyl\hbox{-}benzyl)\hbox{-}pyrrolidin\hbox{-}2\hbox{-}ylmethyl]\hbox{-}2\hbox{-}furan\hbox{-}2\hbox{-}ylmethyl]$

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(3-Fluoro-5-methyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(3-Fluoro-4-methyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 $N^5\hbox{-}[1\hbox{-}(2\hbox{-Bromo-}4\hbox{-fluoro-benzyl})\hbox{-pyrrolidin-}2\hbox{-ylmethyl}]\hbox{-}2\hbox{-furan-}2\hbox{-yl-}[1,2,4]triazolo[1,5\hbox{-}2]$

a][1,3,5]triazine-5,7-diamine,

2-Furan-2-yl-N⁵-methyl-N5-[1-(2,4,6-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

2-Furan-2-yl-N⁵-[1-(5-methyl-isoxazol-3-ylmethyl)-piperidin-2-ylmethyl]-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 24 of 31

 $\hbox{2-Furan-2-yl-N$^5-(1-quinolin-2-ylmethyl-piperidin-2-ylmethyl)-[1,2,4]} triazolo[1,5-1,2]$

a][1,3,5]triazine-5,7-diamine,

 $\hbox{2-Furan-2-yl- N^5-(1-pyridin-2-ylmethyl-piperidin-2-ylmethyl)-[1,2,4]} triazolo[1,5-1]$

a][1,3,5]triazine-5,7-diamine,

 $N^5\hbox{-}[1\hbox{-}(2,6\hbox{-}Dichloro\hbox{-}5\hbox{-}fluoro\hbox{-}pyridin\hbox{-}3\hbox{-}ylmethyl)\hbox{-}piperidin\hbox{-}2\hbox{-}ylmethyl]\hbox{-}2\hbox{-}furan\hbox{-}2\hbox{-}ylmethyl]$

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 $N^5\hbox{-}[1\hbox{-}(3,5\hbox{-Dichloro-pyridin-}4\hbox{-ylmethyl})\hbox{-piperidin-}2\hbox{-ylmethyl}]\hbox{-}2\hbox{-furan-}2\hbox{-yl-}[1,2,4]triazolo[1,5\hbox{-}2]$

a][1,3,5]triazine-5,7-diamine,

2-Furan-2-yl-N⁵-methyl-N5-[1-(5-methyl-isoxazol-3-ylmethyl)-piperidin-2-ylmethyl]-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

N²-(1-Benzyl-pyrrolidin-3-yl)-7-furan-2-yl-pyrazolo[1,5-a][1,3,5]triazine-2,4-diamine,

N²-(1-Benzyl-piperidin-4-yl)-7-furan-2-yl-pyrazolo[1,5-a][1,3,5]triazine-2,4-diamine,

7-Furan-2-yl-N²-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-3-yl]-pyrazolo[1,5-

a][1,3,5]triazine-2,4-diamine,

7-Furan-2-yl-N²-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-pyrazolo[1,5-

a][1,3,5]triazine-2,4-diamine,

7-Furan-2-yl-N²-methyl-N2-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-

pyrazolo[1,5-a][1,3,5]triazine-2,4-diamine,

4-ylamine,

 $2\hbox{-}[4\hbox{-}(3,5\hbox{-}Dimethyl\hbox{-}isoxazol\hbox{-}4\hbox{-}ylmethyl)\hbox{-}[1,4]diazepan\hbox{-}1\hbox{-}yl]\hbox{-}7\hbox{-}furan\hbox{-}2\hbox{-}yl\hbox{-}pyrazolo}[1,5\hbox{-}yl]$

a][1,3,5]triazin-4-ylamine,

N⁵-[1-(3-Chloro-1-methyl-1H-pyrazol-4-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-

 $[1,\!2,\!4] triazolo[1,\!5-a][1,\!3,\!5] triazine-5,\!7-diamine,$

N⁵-[1-(2-Chloro-pyridin-4-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 N^5 -{2-[4-(2,4-Difluoro-phenyl)-piperazin-1-yl]-ethyl}-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

Applicant: Vu, et al. Attorney's Docket No.: 10274-153US1 / A138US 002

Serial No.: 10/552,303 Filed: July 26, 2006 Page: 25 of 31

2-Furan-2-yl- N^5 -{2-[4-(2,4,6-trifluoro-phenyl)-piperazin-1-yl]-ethyl}-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 N^5 -{2-[4-(2,4-Difluoro-phenyl)-piperazin-1-yl]-ethyl}-2-furan-2-yl- N^5 -methyl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine, orand

2-Furan-2-yl-N⁵-methyl-N⁵- $\{2-[4-(2,4,6-\text{trifluoro-phenyl})-\text{piperazin-1-yl}\}-[1,2,4]\text{triazolo}[1,5-a][1,3,5]\text{triazine-5,7-diamine.}$

34. (Currently amended) The compound of claim 1, said compound being A compound selected from the group consisting of:

- 2-Furan-2-yl-5-[4-(5-methyl-isoxazol-3-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-pyridin-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-pyridin-4-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-pyridin-3-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-[4-(1H-imidazol-4-ylmethyl)-piperazin-1-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-quinolin-4-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-furan-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-quinolin-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(3,5-Dimethyl-isoxazol-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 26 of 31

- 5-[4-(2-Chloro-6-methyl-quinolin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-2-furan-2-yl-[1,2,4]-2-furan-
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(2-Chloro-quinolin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(5-Chloro-1-methyl-3-trifluoromethyl-1H-pyrazol-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-
- [1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(4-Chloro-1-methyl-1H-pyrazol-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-
- [1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(4-Bromo-1-methyl-1H-pyrazol-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-
- [1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-(4-Benzofuran-2-ylmethyl-piperazin-1-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 2-Furan-2-yl-5-(4-thiazol-2-ylmethyl-piperazin-1-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine,
- 5-[4-(3,5-Dichloro-pyridin-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(3,5-Dichloro-pyridin-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(3,5-Dichloro-pyridin-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(3,5-Dichloro-pyridin-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(3,5-Dichloro-pyridin-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(3,5-Dichloro-pyridin-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(3,5-(3,5-(3,5))-(3,5-(3,5))-(3,5-(3,5-(3,5))-(3,5-(3
- a][1,3,5]triazin-7-ylamine,
- 5-[4-(2,4-Dimethyl-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(2,4-Dimethyl-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(2,4-Dimethyl-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(2,4-Dimethyl-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(2,4-Dimethyl-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(2,4-Dimethyl-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-(2,4-Dimethyl-pyridin-3-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-[1,2,4-Dimethyl-pyridin-3-ylmethyl
- a][1,3,5]triazin-7-ylamine,
- N^5 -[1-(2,3-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazine-5,7-diamine,
- N⁵-[1-(2,6-Difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-
- a][1,3,5]triazine-5,7-diamine,
- $2-Furan-2-yl-N^5-[1-(2,4,6-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,2,4]triazolo[1,5-trifluoro-benzyl]-[1,5-trifl$
- a][1,3,5]triazine-5,7-diamine,
- $N^5-[1-(2-Chloro-3,6-difluoro-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2]-[1,2,4]triazolo[1,5-1,2]-[1,2,4]triazolo[1,5-1,2]-[1,2,4]$
- a][1,3,5]triazine-5,7-diamine,
- $N^5\hbox{-}[1\hbox{-}(2\hbox{-}Fluoro\hbox{-}5\hbox{-}trifluoromethyl\hbox{-}benzyl)\hbox{-}pyrrolidin\hbox{-}2\hbox{-}ylmethyl]\hbox{-}2\hbox{-}furan\hbox{-}2\hbox{-}ylmethyl]}$
- [1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

Applicant: Vu, et al.
Serial No.: 10/552,303
Filed: July 26, 2006
Page: 27 of 31

N⁵-[1-(2-Fluoro-4-trifluoromethyl-benzyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

 $2-Furan-2-yl-N^5-[1-(5-methyl-isoxazol-3-ylmethyl)-pyrrolidin-2-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl]-[1,2,4]triazolo[1,5-methyl-isoxazol-3-ylmethyl-3-ylmethyl-isoxazol-3-ylmethyl-$

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(5-Chloro-furan-2-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(3-Chloro-1-methyl-1H-pyrazol-4-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine,

N⁵-[1-(2-Chloro-pyridin-4-ylmethyl)-pyrrolidin-2-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 $N^5-(1-Benzo furan-2-ylmethyl-pyrrolidin-2-ylmethyl)-2-furan-2-yl-[1,2,4]triazolo[1,5-1,2$

a][1,3,5]triazine-5,7-diamine,

 N^5 -{2-[4-(2,4-Difluoro-phenyl)-piperazin-1-yl]-ethyl}-2-furan-2-yl-[1,2,4]triazolo[1,5-

a][1,3,5]triazine-5,7-diamine,

 $2-Furan-2-yl-N^5-\{2-[4-(2,4,6-trifluoro-phenyl)-piperazin-1-yl]-ethyl\}-[1,2,4]triazolo[1,5-1,2,4]triazolo[$

a][1,3,5]triazine-5,7-diamine,

 N^5 -{2-[4-(2,4-Difluoro-phenyl)-piperazin-1-yl]-ethyl}-2-furan-2-yl- N^5 -methyl-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine, orand

2-Furan-2-yl-N⁵-methyl-N⁵-{2-[4-(2,4,6-trifluoro-phenyl)-piperazin-1-yl]-ethyl}-

[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine.

35. (Currently amended) The compound of claim 1, said compound being A compound selected from the group consisting of:

5-[4-(5-chloro-1-methyl-3-trifluoromethyl-1H-pyrazol-4-ylmethyl)-piperazin-1-yl]-2-furan-2-yl-piperazin-1-yl-pyrazol-4-ylmeth

[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine orand

 N^5 -{2-[4-(2,4-difluoro-phenyl)-piperazin-1-yl]-ethyl}-2-furan-2-yl- N^5 -methyl-

[1,2,4] triazolo [1,5-a] [1,3,5] triazine-5,7-diamine.

Applicant: Vu, et al. Attorney's Docket No.: 10274-153US1 / A138US 002

Serial No.: 10/552,303 Filed: July 26, 2006 Page: 28 of 31

36. (Original) A pharmaceutical composition comprising a compound of claim 1 and a pharmaceutically acceptable carrier.

37. (Original) A pharmaceutical composition comprising a compound of claim 33 and a pharmaceutically acceptable carrier.

38. (Original) A pharmaceutical composition comprising a compound of claim 34 and a pharmaceutically acceptable carrier.

39. (Original) A pharmaceutical composition comprising a compound of claim 35 and a pharmaceutically acceptable carrier.

40-46. (Cancelled)

47. (Currently amended) The method of claim 46, wherein the disorder or disease is <u>A</u> method of treating Parkinson's disease, the method comprising administering to a subject an effective amount of a compound of claim 1.

48-51. (Cancelled)

- 52. (New) A pharmaceutical composition comprising a compound of claim 10 and a pharmaceutically acceptable carrier.
- 53. (New) A pharmaceutical composition comprising a compound of claim 19 and a pharmaceutically acceptable carrier.
- 54. (New) A method of treating Parkinson's disease, the method comprising administering to a subject an effective amount of a compound of claim 10.

pplicant: Vu, et al. Attorney's Docket No.: 10274-153US1 / A138US 002

Applicant : Vu, et al.
Serial No. : 10/552,303
Filed : July 26, 2006
Page : 29 of 31

55. (New) A method of treating Parkinson's disease, the method comprising administering to a subject an effective amount of a compound of claim 19.